



Picture shows the GP-1500 with accessories (not included in scope of delivery)

This special working table guarantees a pollutant-free laboratory environment when slicing and preparing histological tissues. The air is being vacuumed downwards throughout the entire working area to provide an optimal removal of unsanitary vapors. MAC values (maximum allowable concentration) for formalin are below target throughout the entire vacuum-effected area. The working table is equipped with a permanganate carbon filter and an integrated fan. Moreover, it operates in recirculating-air mode and does not have to be connected to an exhaust air unit provided by the customer.

- Entire construction is made of stainless steel (material no. 1.4301 - ANSI 304)
- Fixed illumination with "daylight" quality approximately 5,000° K
- Railing system for attaching holding devices such as camera holders, magnifier lamp holders etc.
- Inclusive two shockproof sockets 230 Volt (mounted on top of the illumination system)
- Sturdy self-supporting substructure adjustable feet
- Work surface includes a seamlessly welded basin measuring 370 x 150 mm
- Mixing tap with extendable hand shower
- Very sturdy, perforated insertable working plates (approximately 10 mm lower), drilling D17, T60
- Air speed on the perforated surface: min. 0,4 m/sec
- Integrated exhaust fan
- Integrated sprinkler system with adjustable valve for bath sanitation located underneath the perforated working plates
- Formalin sink with sieve insert
- Connection for waste water as well as hot and cold water
- Optionally Height-adjustable from 850 to 1100 mm by means of an integrated electric drive

Technical Data see back page

Technical Data:

Dimensions table W/D/H:	1500 x 800 x 850 / 1950 mm
Dimensions illumination W/D/H:	1500 x 300 x 1100 mm
Exhaust air capacity:	approx. 750 m ³ /h
Material:	stainless steel (1.4301 – ANSI 304)
Perforated working area:	approx. 960 x 670 mm
Cold/Warm water connection:	½"
Waste water connection:	2"
Type:	GP-1500
Article No.:	060.205.100

Accessories for Grossing Tables



Camera holder mounted to the railing system KA-H-400
Art. No. 060.015.085



Magnifier with illumination mounted to the railing system LL-WM72-R5
Art. No. 060.016.065



Flexible microphone holder mounted to the railing system FHH-RS-500
Art. No. 060.015.035



Flexible microphone holder laterally mounted to the side rails FHH-SS-300
Art. No. 060.015.036



Swivelling document holder laterally mounted to the side rails DH-A4-SS
Art. No. 060.012.031



Flexible iPad/tablet holder laterally mounted to the side rails FH-TABLET-SS-300
Art. No. 060.022.036



Swivelling scanner holder laterally mounted to the side rails FH-SCAN-SS-300
Art. No. 060.100.105



Swivelling dictaphone holder SH-SS-PH 730
Art. No. 060.020.041



Formalin-dispensing system FDS-05/1-F
Art. No. 060.012.024

Accessories for Grossing Tables



Cable channel installed around the entire illumination of a grossing table, USB and LAN ports separately available upon request.

Width cable channel 1,500 mm KK-BEA-1500 - Art. No. 060.018.120

Width cable channel 1,750 mm KK-BEA-1750 - Art. No. 060.018.122

Width cable channel 2,000 mm KK-BEA-2000 - Art. No. 060.018.124



Camera holder mounted to the railing system with monitor and keyboard holder laterally mounted to the side rails suitable for the PathLite Compact camera system consisting of camera for glare-free gross imaging and suitable computer and monitor with preinstalled VividPath software.



HEPA filter system mounted on top of the GrossPath GP-1500 (only available for GrossPaths!) HEPA-GP-1500
Art. No. 060.260.070

Accessories for Grossing Tables



Waste shaft with extraction and stainless steel waste bin MÜ-AS-150-M
Art. No. 060.012.056



Waste shaft with extraction and PVC waste bin MÜ-AS-150-M-K
Art. No. 060.012.057



Glove holder made of stainless steel HFK
Art. No. 060.020.074


Paper dispenser made of stainless steel K 300
Art. No. 020.012.075



Monitor holder MT SS laterally mounted to the side rails
Art. No. 060.022.033



Keyboard holder THB SS laterally mounted to the side rails
Art. Nr. 060.022.080



Centimeter scale etched into a grossing table LIN-UCS
Art. No. 060.012.076



Magnetic bar for instruments mounted to the storage board MS-300
Art. No. 060.012.077

Magnetic bar for instruments mounted to the illumination (BEA) MS-300-BEA
Art. No. 060.112.077

Accessories for Grossing Tables



Cutting board made of Corian with a round black point SB-CO-50/40-SE
Art. No. 060.012.012



Cutting board made of polyethylene SB-PE-50/40
Art. No. 060.012.010



Cutting board made of polyethylene - blue SB-PE-50/40-BL
Art. No. 060.012.119



Formalin faucet with ball valve FZH-15-K
Art. No. 060.012.016

Formalin faucet without ball valve FZH-15
Art. No. 060.012.080



Formalin pistol with tube FPI-BR-200
Art. No. 060.012.070



Eye shower HAD 020
Art. No. 060.200.020



Wall mounted body shower KW-W 020
Art. No. 060.200.100



Mats special superior sorbents ABS-M-200
Art. No. 090.020.600



Wall dispenser for disinfectants WS-DM-100
Art. No. 090.320.015



Flexible splash guard mounted to the railing system FSS-500
Art. No. 069.300.248